


Catalogue

version 2025_v1


F.I.TE.SOL. srl
Industrial Supplies for Awnings
20060 Pozzo d'Adda (MI) – Via del Lavoro 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com
Tax Code and VAT No. 10205830150
Chamber of Commerce MI 1357724
Court of Milan No. 312010

Contents

About us	4
Roller tubes	6
Caps	13
Adjustable caps	19
Double ogive roller tubes Patented by F.I.TE.SOL.	23
Double ogive caps	25
Double ogive adjustable caps	27
Caps with bearings and bushings	28
Double ogive reduction rings for motors	29
Double ogive zip caps	32
Double ogive zip reduction rings for motors	36
Crank handles	40
Gears	43
Accessories for basket awnings and vertical awnings	45
Accessories for basket awnings	46
Accessories for vertical awnings	48
Springs	52
Square bars	54




Where to find us



Motorway A4 Milano-Bergamo, exit Trezzo sull'Adda


About us

F.I.TE.SOL. srl is an established and dynamic company on the Italian market, with a highly qualified staff and technical knowledge gained through years of experience in the field of components for awnings; a production company that has helped maintain the high profile of Made in Italy products for over 30 years. These characteristics, together with professionalism in making our products, excellent quality of raw materials, and the technology of our machinery, allow this company to be well known and appreciated throughout Italy. Accurate workmanship, timely deliveries, competitive prices in line with the quality of the products offered, maximum care and precision in production, service and assistance, willingness to develop solutions for specific customer requests as far as possible, make F.I.TE.SOL. srl a highly reliable company to turn to for your needs. The consolidated experience and excellent results achieved to date, push our Company to play in international markets, offering its new Customers competence, professionalism and specialised labour, as well as excellent technical knowledge acquired over many years in the awnings sector. F.I.TE.SOL. srl, dynamism and professionalism always at your service!



All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.

F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com




Roller tubes

F.I.TE.SOL. Roller tubes, made of galvanised steel in several diameters and thicknesses, are characterised by a multi-stage cold processing, which avoids stress and tension in the material, while providing it with greater strength and rigidity.



The roller tubes, depending on their diameter, are made with or without grooves. The roller tube is always closed on the opposite side to the ogive, in order to improve its rigidity. Thanks to the special profiling process, the sealing is always perfectly executed and pressed. A subsequent punching operation ensures perfect sealing and resistance, guaranteed over time.





All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.

F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com

Roller tubes

Diameter 43 mm



code	description	thickness	pack
48 ...	Round ogive roller tube Ø 43 mm	8/10 (0,8 mm)	77



In the last 3 positions of the item, insert the length of the roller in cm.

All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.

F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com

Roller tubes

Diameter 60 mm




In the last 3 positions of the item, insert the length of the roller in cm.

code	description	thickness	pack
67 ...	Round ogive roller tube Ø 60 mm	7/10 (0,7 mm)	59
68 ...	Round ogive roller tube Ø 60 mm	8/10 (0,8 mm)	59

Roller tubes

Diameter 70 mm




code	description	thickness	pack
71 ...	Round ogive roller tube Ø 70 mm	10/10 (1,0 mm)	39
71L ...	Round ogive roller tube, smooth Ø 70 mm	10/10 (1,0 mm)	39
78 ...	Round ogive roller tube Ø 70 mm	8/10 (0,8 mm)	39

In the last 3 positions of the item, insert the length of the roller in cm.

Roller tubes

Diameter 78 mm




code	description	thickness	pack
81 ...	Round ogive roller tube Ø 78 mm	10/10 (1,0 mm)	28
82 ...	Round ogive roller tube Ø 78 mm	12/10 (1,2 mm)	28
85 ...	Round ogive roller tube Ø 78 mm	8/10 (0,8 mm)	28

In the last 3 positions of the item, insert the length of the roller in cm.

Roller tubes

Diameter 85 mm




code	description	thickness	pack
92 ...	Rullo con ogiva tonda Ø 85 mm	12/10 (1,2 mm)	23

Inserire nelle ultime 3 posizioni dell'articolo la lunghezza del rullo espressa in cm

Roller tubes

Joint roller tubes



code	description	diameter	length	pack
20.060	Joint roller tube	60 mm	500 mm	–
20.070	Joint roller tube	70 mm	500 mm	40
20.078	Joint roller tube	78 mm	500 mm	30



Clamp for ogive roller tubes



code	description	pack
21.000	Clamp for ogive roller tubes	–


Caps

The F.I.TE.SOL. caps, entirely made in Italy, are made of high quality ABS or die-cast Nylon – depending on the size – and are designed to fit perfectly with the roller tubes. The galvanised steel pivots are inserted into the cap directly during the die-casting phase, guaranteeing a perfect coupling between plastic and metal. The length of the cap, which is longer than the average on the market, the high thickness of the material and the numerous internal reinforcement grooves – designed to withstand high stresses – guarantee that the caps are highly rigid and resistant, as well as long-lasting. Available in the diameters of the different types of F.I.TE.SOL. roller tubes, they are made with round and square pivots, or with holes, depending on the different applications.



Caps




Diameter 43 mm



code	description	material	pivot	pack
12.001	Caps with ogive $\varnothing 43$	ABS	$\varnothing 12 \times 20$ mm	100
12.014	Caps with ogive $\varnothing 43$	ABS	$\square 13 \times 20$ mm	100
12.015	Caps with ogive $\varnothing 43$	ABS	$\square 13 \times 40$ mm	100
12.033	Caps with ogive $\varnothing 43$	ABS	hole $\varnothing 14$ mm	100

Caps




Diameter 60 mm



code	description	material	pivot	pack
13.001	Caps with ogive Ø 60	ABS	Ø 12 × 20 mm	100
13.015	Caps with ogive Ø 60	ABS	□ 13 × 40 mm	100
13.019	Caps with ogive Ø 60	ABS	□ 13 × 50 mm	100
13.021	Caps with ogive Ø 60	ABS	□ 13 × 60 mm	100
13.033	Caps with ogive Ø 60	ABS	hole Ø 14 mm	100

Caps




Diameter 70 mm



code	description	material	pivot	pack
14.001	Caps with ogive Ø 70	ABS	Ø 12 × 20 mm	100
14.015	Caps with ogive Ø 70	ABS	□ 13 × 40 mm	100
14.019	Caps with ogive Ø 70	ABS	□ 13 × 50 mm	100
14.021	Caps with ogive Ø 70	ABS	□ 13 × 60 mm	100
14.023	Caps with ogive Ø 70	ABS	□ 13 × 75 mm	100
14.033	Caps with ogive Ø 70	ABS	hole Ø 14 mm	100
14.016	Caps with ogive Ø 70	ABS	□ 13 × 20 mm	100
14.018	Caps with ogive Ø 70	ABS	□ 13 × 32 mm	100

Caps


Diameter 78 mm



code	description	material	pivot	pack
18.001	Caps with ogive Ø 78	NYLON	Ø 12 × 20 mm	100
18.015	Caps with ogive Ø 78	NYLON	□ 13 × 40 mm	100
18.019	Caps with ogive Ø 78	NYLON	□ 13 × 50 mm	100
18.021	Caps with ogive Ø 78	NYLON	□ 13 × 60 mm	100
18.023	Caps with ogive Ø 78	NYLON	□ 13 × 75 mm	100
15.033	Caps with ogive Ø 78	NYLON	hole Ø 14 mm	100
18.017	Caps with ogive Ø 78	NYLON	□ 13 × 20 mm	100

Caps



Diameter 85 mm



code	description	material	pivot	pack
19.002	Caps with ogive Ø 85	NYLON	Ø 12 × 20 mm	50
19.001	Caps with ogive Ø 85	NYLON	Ø 12 × 40 mm	50
19.015	Caps with ogive Ø 85	NYLON	□ 13 × 40 mm	50
16.033	Caps with ogive Ø 85	NYLON	hole Ø 14 mm	50
16.034	Caps with ogive Ø 85	NYLON	hole Ø 14 mm collo alto	50
19.014	Caps with ogive Ø 85	NYLON	□ 13 × 20 mm	50
19.021	Caps with ogive Ø 85	NYLON	□ 13 × 60 mm	50

Adjustable caps



Diameter 60 mm



code	description	material	pivot	pack
13.035	Adjustable caps with ogive Ø 60	ABS	Ø 12 mm	50
13.034	Adjustable caps with ogive Ø 60	ABS	□ 13 mm	50

Adjustable caps


Diameter 70 mm



code	description	material	pivot	pack
14.035	Adjustable caps with ogive Ø 70	ABS	Ø 12 mm	50
14.034	Adjustable caps with ogive Ø 70	ABS	□ 13 mm	50

Adjustable caps


Diameter 78 mm



code	description	material	pivot	pack
15.035	Adjustable caps with ogive Ø 78	NYLON	Ø 12 mm	50
15.034	Adjustable caps with ogive Ø 78	NYLON	□ 13 mm	50

Adjustable caps

Diameter 85 mm



code	description	material	pivot	pack
15.047	Adjustable caps with ogive Ø 85	NYLON	Ø 12 mm	50
15.045	Adjustable caps with ogive Ø 85	NYLON	□ 13 mm	50

Double ogive roller tubes

With the Double Ogive roller tube patented by F.I.TE.SOL., the seam of the fabric remains inside the groove, avoiding the annoying folds that appear where the fabric is joined to the roller. Furthermore, with the F.I.TE.SOL. Double Ogive, as the two ogives can be used interchangeably, it is possible to decide the direction in which the fabric is rolled up when assembling the awning, making it possible to make up for any unforeseen design or installation issues.



Single Ogive: the seam of the fabric remains outside the groove, letting annoying folds to appear along the fabric.

Double Ogive: the seam of the fabric remains tucked completely inside the groove and the fabric rolls up perfectly!
Moreover, the F.I.TE.SOL. Double Ogive increases the rigidity and flexural strength of the roller tube.



Double ogive roller tubes

Like all F.I.TE.SOL. Roller tubes, these are made in Italy, made of galvanised steel with a diameter of 73 mm (with grooves) or 80 and 85 mm (without grooves).

Diameter 73 mm

Diameter 80 mm

Diameter 85 mm




code	description	weight (kg/metre)	pack
86 ...	Double ogive roller tube Ø 73 mm	2,1 kg	39
88 ...	Double ogive roller tube Ø 80 mm	2,3 kg	28
87 ...	Double ogive roller tube Ø 80 mm	2,6 kg	28
89 ...	Double ogive roller tube Ø 85 mm	3,1 kg	23


Double ogive caps

The caps, designed for coupling with Double Ogive roller tubes, have the same technical characteristics and the same advantages as our traditional caps.


Diameter 73 mm



Diameter 80 mm



Diameter 85 mm



code	description	material	pivot	pack
73.005	Double ogive caps Ø 73	NYLON	Ø 12 × 20 mm	100
73.015	Double ogive caps Ø 73	NYLON	□ 13 × 40 mm	100
73.033	Double ogive caps Ø 73	NYLON	hole Ø 14 mm	100

80.005	Double ogive caps Ø 80	NYLON	Ø 12 × 20 mm	100
80.015	Double ogive caps Ø 80	NYLON	□ 13 × 40 mm	100
80.033	Double ogive caps Ø 80	NYLON	hole Ø 14 mm	100



85.005	Double ogive caps Ø 85	NYLON	Ø 12 × 20 mm	100
85.015	Double ogive caps Ø 85	NYLON	□ 13 × 40 mm	100
85.033	Double ogive caps Ø 85	NYLON	hole Ø 14 mm	100

All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.

F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com

Double ogive adjustable cap


Diameter 80 mm



code	description	material	pivot	pack
80.R42	Double ogive adjustable caps Ø 80	NYLON	Ø 12 mm	–
80.RQ42	Double ogive adjustable caps Ø 80	NYLON	□ 13 mm	–

Caps with bearings and bushings

The new F.I.TE.SOL. caps, made in Italy from high-quality die-cast nylon, are particularly suitable for use on large, heavy awnings. Available in different sizes for single and double ogive roller tubes, thanks to the reduced friction in rotation they guarantee less effort and greater silence. The roller bearings are inserted into the cap directly during the die-casting phase, guaranteeing a perfect coupling between plastic and metal.



Caps with bearings and bushings single ogive

code	description	pack
17.033	Cap with bearing and bushing Ø 70 hole Ø 14 single ogive	100
18.033	Cap with bearing and bushing Ø 78 hole Ø 14 single ogive	100
19.033	Cap with bearing and bushing Ø 85 hole Ø 14 single ogive	100

Caps with bearings and bushings double ogive

73.CB33	Cap with bearing and bushing Ø 73 hole Ø 14 double ogive	100
80.CB33	Cap with bearing and bushing Ø 80 hole Ø 14 double ogive	100
85.CB33	Cap with bearing and bushing Ø 85 hole Ø 14 double ogive	100

Double ogive reduction rings for motors

The nylon reduction rings have been designed for use with F.I.TE.SOL. double ogive roller tubes and the most common motors.

The high thickness of the material and the rear grooves guarantee high resistance and durability.

Roller diameter 73 mm – Motor diameter 45 mm



code	description	material	pack
S-D45-T.D.73	Couple of reduction rings for motors Ø 45	NYLON	100
N-D45-T.D.73	Couple of reduction rings for motors Ø 45	NYLON	100
C-D45-T.D.73	Couple of reduction rings for motors Ø 45	NYLON	100
B-D45-T.D.73	Couple of reduction rings for motors Ø 45	NYLON	100
A-D45-T.D.73	Couple of reduction rings for motors Ø 45	NYLON	100

Double ogive reduction rings for motors



Roller diameter 80 mm – Motor diameter 45 mm



code	description	material	pack
S-D45-T.D.80	Couple of reduction rings for motors Ø 45	NYLON	100
N-D45-T.D.80	Couple of reduction rings for motors Ø 45	NYLON	100
C-D45-T.D.80	Couple of reduction rings for motors Ø 45	NYLON	100
B-D45-T.D.80	Couple of reduction rings for motors Ø 45	NYLON	100
A-D45-T.D.80	Couple of reduction rings for motors Ø 45	NYLON	100

Roller diameter 80 mm – Motor diameter 59 mm



code	description	material	pack
S-D59-T.D.80	Couple of reduction rings for motors Ø 59	NYLON	100
N-D59-T.D.80	Couple of reduction rings for motors Ø 59	NYLON	100
C-D59-T.D.80	Couple of reduction rings for motors Ø 59	NYLON	100
A-D59-T.D.80	Couple of reduction rings for motors Ø 59	NYLON	100

Double ogive reduction rings for motors




Roller diameter 85 mm – Motor diameter 45 mm



code	description	material	pack
S-D45-T.D.85	Couple of reduction rings for motors Ø 45	NYLON	100
N-D45-T.D.85	Couple of reduction rings for motors Ø 45	NYLON	100
C-D45-T.D.85	Couple of reduction rings for motors Ø 45	NYLON	100
B-D45-T.D.85	Couple of reduction rings for motors Ø 45	NYLON	100
A-D45-T.D.85	Couple of reduction rings for motors Ø 45	NYLON	100

Roller diameter 85 mm – Motor diameter 59 mm




code	description	material	pack
S-D59-T.D.85	Couple of reduction rings for motors Ø 59	NYLON	100
N-D59-T.D.85	Couple of reduction rings for motors Ø 59	NYLON	100
C-D59-T.D.85	Couple of reduction rings for motors Ø 59	NYLON	100


Double ogive zip caps

Designed for winding ZIP-type awnings, exclusively for use with double ogive roller tubes, they are made of nylon and, thanks to the internal grooves and the high thickness of the material, they are highly resistant.

Diameter 73 mm




Diameter 80 mm



Double ogive zip caps

Diameter 85 mm



code	description	material	pivot	pack
73.Z01	ZIP Caps Ø 73	NYLON	Ø 12 × 20 mm	50
73.Z22	ZIP Caps Ø 73	NYLON	□ 13 × 22 mm	50
73.Z33	ZIP Caps Ø 73	NYLON	hole Ø 14 mm	50

80.Z01	ZIP Caps Ø 80	NYLON	Ø 12 × 20 mm	50
80.Z22	ZIP Caps Ø 80	NYLON	□ 13 × 22 mm	50
80.Z33	ZIP Caps Ø 80	NYLON	hole Ø 14 mm	50

85.Z01	ZIP Caps Ø 85	NYLON	Ø 12 × 20 mm	50
85.Z22	ZIP Caps Ø 85	NYLON	□ 13 × 22 mm	50
85.Z33	ZIP Caps Ø 85	NYLON	hole Ø 14 mm	50



All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.

F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com

Diameter 73 mm, small



Diameter 80 mm, small




code	description	material	pivot	pack
73.ZR01	Small ZIP Caps Ø 73	NYLON	Ø 12 × 18 mm	50
73.ZR22	Small ZIP Caps Ø 73	NYLON	□ 13 × 22 mm	50
73.ZR33	Small ZIP Caps Ø 73	NYLON	hole Ø 14 mm	50

80.ZR01	Small ZIP Caps Ø 80	NYLON	Ø 12 × 18 mm	50
80.ZR22	Small ZIP Caps Ø 80	NYLON	□ 13 × 22 mm	50
80.ZR33	Small ZIP Caps Ø 80	NYLON	hole Ø 14 mm	50

All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.

F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com

Double ogive zip caps



Diameter 80.25 mm, small



code	description	material	pivot	pack
80.Z01.25	Small ZIP Caps Ø 80.25	NYLON	Ø 12 × 18 mm	50
80.Z22.25	Small ZIP Caps Ø 80.25	NYLON	□ 13 × 22 mm	50
80.M20.25	Small ZIP Caps Ø 80.25	NYLON		50

Double ogive zip reduction rings for motors

The nylon reduction rings for ZIP awning applications are designed to be coupled with F.I.TE.SOL. double ogive roller tubes and the most common motors.

The high thickness of the material and the rear grooves guarantee high resistance and durability.

code	description	material	pack
73.Z20 S	Couple of reduction rings ZIP Ø 73 for motor Ø 45	NYLON	50
73.Z20 N	Couple of reduction rings ZIP Ø 73 for motor Ø 45	NYLON	50
73.Z20 C	Couple of reduction rings ZIP Ø 73 for motor Ø 45	NYLON	50
73.Z20 B	Couple of reduction rings ZIP Ø 73 for motor Ø 45	NYLON	50
73.Z20 A	Couple of reduction rings ZIP Ø 73 for motor Ø 45	NYLON	50

80.Z20 S	Couple of reduction rings ZIP Ø 80 for motor Ø 45	NYLON	50
80.Z20 N	Couple of reduction rings ZIP Ø 80 for motor Ø 45	NYLON	50
80.Z20 C	Couple of reduction rings ZIP Ø 80 for motor Ø 45	NYLON	50
80.Z20 B	Couple of reduction rings ZIP Ø 80 for motor Ø 45	NYLON	50
80.Z20 A	Couple of reduction rings ZIP Ø 80 for motor Ø 45	NYLON	50

85.Z20 S	Couple of reduction rings ZIP Ø 85 for motor Ø 45	NYLON	50
85.Z20 N	Couple of reduction rings ZIP Ø 85 for motor Ø 45	NYLON	50
85.Z20 C	Couple of reduction rings ZIP Ø 85 for motor Ø 45	NYLON	50
85.Z20 B	Couple of reduction rings ZIP Ø 85 for motor Ø 45	NYLON	50
85.Z20 A	Couple of reduction rings ZIP Ø 85 for motor Ø 45	NYLON	50

All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.

F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com

Couple of reduction rings ZIP Ø 73 for motor Ø 45



Couple of reduction rings ZIP Ø 80 for motor Ø 45



Couple of reduction rings ZIP Ø 85 for motor Ø 45



Only adapter zip double ogive

code	description	material	pack
73.T20 S	Adapter Ø 73 for motor Ø 45	NYLON	50
73.T20 N	Adapter Ø 73 for motor Ø 45	NYLON	50
73.T20 C	Adapter Ø 73 for motor Ø 45	NYLON	50
73.T20 B	Adapter Ø 73 for motor Ø 45	NYLON	50
73.T20 A	Adapter Ø 73 for motor Ø 45	NYLON	50

80.T20 S	Adapter Ø 80 for motor Ø 45	NYLON	50
80.T20 N	Adapter Ø 80 for motor Ø 45	NYLON	50
80.T20 C	Adapter Ø 80 for motor Ø 45	NYLON	50
80.T20 B	Adapter Ø 80 for motor Ø 45	NYLON	50
80.T20 A	Adapter Ø 80 for motor Ø 45	NYLON	50

85.T20 S	Adapter Ø 85 for motor Ø 45	NYLON	50
85.T20 N	Adapter Ø 85 for motor Ø 45	NYLON	50
85.T20 C	Adapter Ø 85 for motor Ø 45	NYLON	50
85.T20 B	Adapter Ø 85 for motor Ø 45	NYLON	50
85.T20 A	Adapter Ø 85 for motor Ø 45	NYLON	50

Only caps zip double ogive

code	description	material	pack
73.M20	ZIP cap Ø 73 for motor Ø 45	NYLON	50
73.ZRM20	Small ZIP cap Ø 73 for motor Ø 45	NYLON	50

80.M20	ZIP cap Ø 80 for motor Ø 45	NYLON	50
80.ZRM20	Small ZIP cap Ø 80 for motor Ø 45	NYLON	50
80.M20.25	ZIP cap Ø 80.25 for motor Ø 45	NYLON	50

85.M20	ZIP cap Ø 85 for motor Ø 45	NYLON	50
---------------	------------------------------------	--------------	-----------

**Only adapter Ø 73
for motor Ø 45**



**Only adapter Ø 80
for motor Ø 45**



**Only adapter Ø 85
for motor Ø 45**



**Only ZIP cap Ø 73
for motor Ø 45**



**Only ZIP cap Ø 80
for motor Ø 45**



**Only ZIP cap Ø 85
for motor Ø 45**



Crank handles

F.I.TE.SOL. crank handles are made of Sendzimir hot-dip galvanised steel tubing, both inside and out, 14 mm in diameter and epoxy powder coated in a range of RAL colours, with matching nylon handles in various shapes.

The special manufacturing process involves pressing the tube to make the retaining rings for the handles, a solution that makes them more resistant and reliable over time compared to the commonly used process, which involves engraving and using seeger rings.

The hook, in galvanised steel (standard) or stainless steel (on request), turned and bent for greater precision and resistance, is fixed by pressing on very deep ribbing.



Available colours



White RAL 9010

Beige RAL 1013

Grey RAL 7035

Grey RAL 9006


Brown RAL 8017

Black RAL 9005

Handles




Crank handles




code	description	length in cm	pack
34.100	Crank handle with hook in tube Ø 14	100	10
34.120	Crank handle with hook in tube Ø 14	120	10
34.135	Crank handle with hook in tube Ø 14	135	10
34.140	Crank handle with hook in tube Ø 14	140	10
34.150	Crank handle with hook in tube Ø 14	150	10
34.160	Crank handle with hook in tube Ø 14	160	10
34.170	Crank handle with hook in tube Ø 14	170	10
34.180	Crank handle with hook in tube Ø 14	180	10
34.200	Crank handle with hook in tube Ø 14	200	10
34.220	Crank handle with hook in tube Ø 14	220	10
34.250	Crank handle with hook in tube Ø 14	250	10
34.300	Crank handle with hook in tube Ø 14	300	10

Gears



Gears

Available in RAL colors



Worm gear reducer, 9:1 ratio

code	description	length in cm	pack
SI-1036-G.C	Short stem gears	80	25
SI-1037-G.M	Medium stem gears	100	25
SI-1038-G.L	Long stem gears	130	25

Accessories for basket awnings and vertical awnings

F.I.TE.SOL. accessories for vertical awnings and basket awnings are made in Italy with superior quality galvanised steel and are characterised by their particular strength and precision. Available with a galvanised finish or galvanised and painted in RAL colours with epoxy powder.

White RAL 9010

Beige RAL 1013

Grey RAL 7035

Galvanised



Accessories for basket awnings

Brackets for basket awnings kit




code	description	pack
11.006	Brackets for basket canopy kit	–

All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.




F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com

Accessories for basket awnings

Complete gears kit
for basket awnings



1:3




code	description	pack
11.007	Galvanised and coated kit, gears included	10
11.008	Gears + painted box kit	10

All rights reserved.
Total or partial reproduction
or communication to a third party
are not allowed unless authorised in writing.

F.I.TE.SOL. srl
20060 Pozzo d'Adda (MI) – Via del Lavoro, 13
Tel. 02 90968573
www.fitesol.com – fitesol@fitesol.com

Accessories for vertical awnings

Plate with pivot



code	description	pack
21.014	Plate with pivot Ø 14 mm	100

Accessories for vertical awnings

Plate with removable pivot



Round plate with pivot



Square plate with pivot




Bracket with removable bearing



code	description	pack
21.018	Plate with removable pivot Ø 14 mm	100
21.019	Round plate with pivot Ø 14 mm	100
21.020	Square plate with pivot Ø 14 mm	100
21.028	Bracket with removable bearing Ø 12 mm	100

Accessories for vertical awnings


Pair of 90° bracket supports



code	description	pack
21.002	Galvanised steel brackets	50
21.003	Coated steel brackets RAL 9010	50
21.004	Coated steel brackets RAL 7035	50
21.005	Coated steel brackets RAL 1013	50

Accessories for vertical awnings

Small wall-ceiling bracket



code	description	pack
21.006	Small galvanised steel wall-ceiling bracket	–

Springs

F.I.TE.SOL. springs are made in Italy with high-quality tempered steel. The spring is mounted on an internally and externally galvanised and powder coated steel pivot.

Technical sheet

- Preload: approximately three turns
- Max number of turns 21.
- Adaptable for right side mount or left.
- Galvanised iron crank handle, burnished steel spring.
- Driving cap, idler cap and bushes in loaded nylon.





code	description	length	pack
15.001	Wire spring Ø 2 mm for roller Ø 43 mm	50 cm	5
15.002	Wire spring Ø 2 mm for roller Ø 43 mm	90 cm	5

16.001	Wire spring Ø 2,5 mm for roller Ø 60 mm	50 cm	5
16.002	Wire spring Ø 3 mm for roller Ø 60 mm	70 cm	5
16.003	Wire spring Ø 3 mm for roller Ø 60 mm	90 cm	5
16.004	Wire spring Ø 3 mm for roller Ø 60 mm	140 cm	5

17.001	Wire spring Ø 2,5 mm for roller Ø 70 mm	50 cm	5
17.002	Wire spring Ø 3 mm for roller Ø 70 mm	70 cm	5
17.003	Wire spring Ø 3 mm for roller Ø 70 mm	90 cm	5
17.004	Wire spring Ø 3 mm for roller Ø 70 mm	140 cm	5

Springs


Spring support



code	description	pack
22.000	Spring support	–

Square bars

F.I.TE.SOL. square bars are made of steel, galvanised internally and externally. The bars are coated with epoxy powders in RAL colours.



code	description	length in cm	pack
23 ...	Galvanised square bar	40 × 40 × 1,5 mm	50
24 ...	Galvanised square bar	40 × 40 × 2 mm	50
25 ...	Galvanised and painted square bar	35 × 35 × 2 mm	50
26 ...	Galvanised and painted square bar	40 × 40 × 2 mm	50
27 ...	Galvanised Sendzimir square bar	35 × 35 × 2 mm	50
28 ...	Galvanised Sendzimir square bar	40 × 40 × 1,5 mm	50
32 ...	Galvanised and painted Sendzimir square bar	40 × 40 × 1,5 mm	50
19.035	Joints for square bar mm 35	–	50

Catalogo 2025

All rights reserved. The reproduction and disclosure to third parties—even in part—of the information contained in this catalogue is not permitted without written authorisation from F.I.TE.SOL. srl.

The information contained in this catalogue is to be considered merely informative.

F.I.TE.SOL. srl reserves the right to modify the characteristics of the products contained therein at any time and without prior notice.




F.I.TE.SOL. srl

20060 Pozzo d'Adda (MI) – Via del Lavoro, 13

Tel. 02 90968573

www.fitesol.com – fitesol@fitesol.com





Flawless precision

www.fitesol.com